

moieties; a plant promoting effective amount of solution-stable Mg.⁺⁺ moieties; and, a plant promoting effective amount of solution-stable N.³⁻ moieties.--

--3. The [composition] method of claim 2, wherein said solution-stable moieties are a reaction product formed from the reaction of: a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution-stable Sulfamate, and combinations thereof; and, a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.--

--4. The [composition] method of claim 2, wherein the solution-stable moieties are formed by reacting effective amounts of: at least one member selected from the group consisting of: a powdered micronutrient metal, a powdered macronutrient metal, Dolomite, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnatellite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate),

Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis (tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate

hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound, selected from the group consisting of a compound of the formula (II): $\text{HSO}_3\text{NR}_4\text{R}_5$ (II) wherein: R_4 and R_5 are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R_4 or R_5 is hydrogen; a compound of the formula (III): $\text{R}_1(\text{NR}_2\text{R}_3)_n\text{HSO}_3\text{NR}_4\text{R}_5$ (III) wherein: R_1 is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, R_2 is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R_3 , R_4 and R_5 are hydrogen; and n is an integer from 1 to 3; and, combinations thereof.

--5. The [composition] method according to claim1, wherein said composition further [comprising] comprises a plant promoting effective amount of water--

CANCEL claim 6.

--7. A composition [for restoring the concentration of a least one essential micronutrient or macronutrient to desirable levels in a body of soil,] comprising:

the product of a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties that have been chemically reacted in respective proportions sufficient to provide substantially any combination of water solution-stable macronutrients and/or micronutrients of substantially any predetermined concentration and/or predetermined concentrations.--

CANCEL claim 13.

--14. A [composition] method for treating living cells, comprising:

contacting said living cells with a composition comprising the product of a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties chemically reacted in respective proportions sufficient to provide substantially any combination of water solution-stable macronutrients and/or micronutrients of substantially any predetermined concentration and/or predetermined concentrations.--

--15. The [composition] method of claim 14, wherein said composition further [comprising] comprises: a cell-promoting effective amount of solution-stable Ca.sup.++ moieties; a cell-promoting effective amount of solution-stable S.sup.6+ moieties; a cell-

promoting effective amount of solution-stable Mg.sup.++ moieties; and, a cell-promoting effective amount of solution-stable N.sup.3- moieties.--

--16. The [composition] method of claim 14, wherein said solution-stable moieties are a reaction product formed from the reaction of: a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution-stable Sulfamate, and combinations thereof; and, a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.--

--17. The [composition] method of claim 15, wherein the solution-stable moieties are formed by reacting effective amounts of: at least one member selected from the group consisting of: Dolomite, a powdered micronutrient metal, a powdered macronutrient metal, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnatellite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate),

Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis(tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide,

Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound, selected from the group consisting of: a compound of the formula (II): $\text{HSO}_3\text{NR}_4\text{R}_5$ (II) wherein: R_4 and R_5 are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R_4 or R_5 is hydrogen; a compound of the formula (III): $\text{R}_1(\text{NR}_2\text{R}_3)_n\text{HSO}_3\text{NR}_4\text{R}_5$ (III) wherein: R_1 is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, R_2 is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R_3 , R_4 and R_5 are hydrogen; and n is an integer from 1 to 3; and, combinations thereof.--

--18. The [composition] method according to claim 14, wherein said composition further [comprising] comprises a cell-promoting effective amount of water--

--19. The [composition] method according to claim 14, wherein said composition is encapsulated--

--20. The [composition] method according to claim 14, wherein said cells are selected from the group consisting of living cells, animal cells, plant cells and combinations thereof--

--21. A process for forming a composition, comprising:

[contacting] chemically reacting a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties [reactants] at concentrations and under conditions sufficient to provide a [reaction] product of substantially any predetermined combination of water solution-stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.--

RESPONSE TO THE FIRST OFFICE ACTION

Claims 1-5, 7-12 and 14-26 are now in the case.

The claims have now been amended to more particularly point out and distinctly claim applicant's invention.

Support for the amendments to the claims occurs at, e.g., paragraphs [0039] - [0042], and [0048] - [0121], as originally filed.

THE REJECTION

The Examiner rejected claims 6 and 13 under 35 U.S.C. 102(a), (b) and (e) as being anticipated by Elledge (US 1,482,367). This rejection has been mooted by the cancellation of these claims.

The Examiner rejected claims 1-5, 7-12 and 14-26 as being unpatentable *over the combined teachings* of Newsom, Jr. (US 4,383,846), Woodhouse (US 2,237,826), Facere (US 2,739,886) and John Deere, *Fundamentals of Machine Operation*, Chap. 2, "Fertilizers and Lime." pp. 15-35, (1976).

TRAVERSAL OF THE REJECTION

THE LAW OF PRIMA FACIE CASE OF OBVIOUSNESS

The law regarding the making of a prima facie case of obviousness ("PFCO") is well settled. For instance, MPEP 706.02(j) Contents of a 35 U.S.C. 103 Rejection [R - 2] provides in pertinent part:

"35 U.S.C. 103 authorizes a rejection where to meet the claim, it is necessary to modify a single reference or to combine it with one or more other references. After indicating that the rejection is under 35 U.S.C. 103, the examiner should set forth in the Office action (1) the relevant teachings of the prior art relied upon, preferably with reference to the relevant column or page number(s) and line number(s) where appropriate, (2) the difference or differences in the claim over the applied reference(s), (3) the proposed modification of the applied reference(s) necessary to arrive at the claimed subject matter, and (4) an explanation why **one of ordinary skill in the art at the time the invention was made would have been motivated to make the proposed modification. To establish a prima facie case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference

teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure. In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). See MPEP 2143 - 2143.03 for decisions pertinent to each of these criteria. The initial burden is on the examiner to provide some suggestion of the desirability of doing what the inventor has done. "To support the conclusion that the claimed invention is directed to obvious subject matter, either *the references must expressly or impliedly suggest the claimed invention or the examiner must present a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references.*" *Ex parte Clapp*, 227 USPQ 972, 973 (Bd. Pat. App. & Inter. 1985). See MPEP 2144 - 2144.09 for examples of reasoning supporting obviousness rejections. Where a reference is relied on to support a rejection, whether or not in a minor capacity, that reference should be positively included in the statement of the rejection. See *In re Hoch*, ** 428 F.2d 1341, 166 USPQ 406, *n. 3 (CCPA1970). *It is important for an examiner to properly communicate the basis for a rejection so that the issues can be identified early and the applicant can be given fair opportunity to respond.* Furthermore, if an initially rejected application issues as a patent, the rationale behind an earlier rejection may be important in interpreting the scope of the patent claims. Since issued patents are presumed valid (35 U.S.C. 282) and constitute a property right (35 U.S.C. 261), the written record must be clear as to the basis for the grant. Since patent examiners cannot normally be compelled to testify in legal proceedings regarding their mental processes (see MPEP 1701.01), *it is important that the written record clearly explain the rationale for decisions made during prosecution of the application.* See MPEP 2141 - 2144.09 generally for guidance on patentability determinations under 35 U.S.C. 103, including a discussion of the requirements of *Graham v. John Deere*, 383 U.S. 1, 148 USPQ 459 (1966). See MPEP 2145 for consideration of applicant's rebuttal arguments. See MPEP 706.02(l) for a discussion of ** 35

PFCO NOT MADE OUT AGAINST THE CLAIMS

Applicant respectfully submits that the Examiner has not made out a prima facie case of obvious against the claims as presently amended.

Applicant has presently limited the broad composition claims to the ***chemical reaction product*** of a first compound comprised of moderately soluble sulfamate moieties and a second compound comprised of a ***substantially insoluble*** macronutrient and/or micronutrient moieties so as to provide ***water solution stable macronutrients and/or micronutrients products***. (bold emphasis added). These positive limitations in the claims are simply is not taught by any of the prior art references cited by the Examiner.

Specifically, the Newsome reference, for example, adds sulfamic moieties to liquid fertilizer compositions ***for the purpose of preventing chemical reactions*** that form magnesium bearing precipitates (see, e.g., column 3, lines 9-35 and 47-54; column 4, lines 21-47).¹

Woodhouse teaches the addition of sulfamic acids and/or sulfamic acid salts merely for the purposes of ***nitrifying liquid fertilizer solutions e.g., increasing the concentration of soluble nitrogen and/or ammonia moieties in such solutions*** (see e.g., page 1, column 2, lines 10-21 and lines 30-34).

On the other hand, the instant invention as now particularly and distinctly claimed is limited to the product of a ***chemical reaction*** of moderately soluble sulfamate moieties with ***substantially insoluble*** macronutrient and/or micronutrient moieties to provide

¹ Since Newsome equates *reagents* with *sulfactants* (column 3, lines 47-49), it is evident that Newsome ***does not*** disclose a chemical reaction.

water solution stable macronutrients and/or micronutrients products. The new language positively limits the *chemical nature* of the claimed product species and thus is deemed to patentably limit the broad composition claim. It is respectfully submitted that neither Newsome, nor Woodhouse (and indeed, any of the other references applied against the claims) simply do not teach these novel and unobvious limitations. Thus, a prima facie case of obviousness cannot be made against the claims as presently amended.

The Examiner rejects pursuant to 35 U.S.C. 103, over the *combined teachings* of Woodhouse, Newsome, Facer and John Deere. The Examiner speaks broadly as to what he believes each of the individual references teach. Then, *without providing reasons why one of ordinary skill would be motivated to combine the reference*, he merely concludes that one of ordinary skill would be motivated to combine the references. Applicant believes that this is not in accord with the law cited herein.

As noted above, MPEP 706.02(j) clearly states:

"[T]he teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure. In re Vaack, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991)...[t]he references must expressly or impliedly suggest the claimed invention or the examiner must present a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references." Ex parte Clapp, 227 USPQ 972, 973 (Bd. Pat. App. & Inter. 1985)...It is important for an examiner to properly communicate the basis for a rejection so that the issues can be identified early and the applicant can be given fair opportunity to respond... it is important that the written record clearly explain the rationale for decisions made during prosecution of the application..."

It is respectfully submitted that the Examiners failure to *clearly explain the rationale* for his instant combination of prior art references, is fatal to his purported prima facie case of obviousness. For this reason and the others cited above, applicant respectfully contends that a prima facie case of obviousness has not been made out against the claims also on this account.

PFCO MADE OUT BUT REBUTTED

Assuming arguendo that the Examiner has made out a prima facie case of obviousness against applicant's claims, it is respectfully submitted that it is rebutted for the following reasons.

"TEACHES AWAY" DOCTRINE

One well establish way to rebut a prima facie case of obviousness is through the doctrine of *teaches away*. The doctrine is articulated in a well know and much relied upon line of cases:

"A reference may be said to teach away when a person of ordinary skill, upon reading the reference, would be discouraged from following the path set out in the reference, or would be led in a direction divergent from the path that was taken by the applicant. The degree of teaching away will of course depend on the particular facts; in general, a reference will teach away if it suggests that the line of development flowing from the reference's disclosure is unlikely to be productive of the result sought by the applicant. See United States v. Adams, 383 U.S. 39, 52, 148 U.S.P.Q. (BNA) 479, 484, 15 L. Ed. 2d 572, 86 S. Ct. 708 (1966) ("known disadvantages in old devices which would naturally discourage the search for new inventions may be taken into account in determining obviousness"); W.L. Gore & Assoc., Inc. v. Garlock, Inc., 721 F.2d 1540, 1550-51, 220 U.S.P.Q. (BNA) 303, 311 (Fed. Cir. 1983) (the totality of a reference's teachings must be considered), cert. denied, 469 U.S. 851 (1984); In re Sponnoble, 56 C.C.P.A. 823, 405 F.2d 578, 587, 160 U.S.P.Q. (BNA) 237, 244 (CCPA 1969) (references taken

in combination teach away since they would produce a "seemingly inoperative device"); In re Caldwell, 50 C.C.P.A. 1464, 319 F.2d 254, 256, 138 U.S.P.Q. (BNA) 243, 245 (CCPA 1963) (reference teaches away if it leaves the impression that the product would not have the property sought by the applicant). In re Gurley, 27 F.3d 551 (Fed. Cir. 06/15/1994). See also: Baxter International Inc. v. McGaw Inc., 47 U.S.P.Q.2d 1225, 149 F.3d 1321 (Fed. Cir. 06/30/1998); Tec Air, Inc. v. Denso Manufacturing Michigan Inc., 192 F.3d 1353, 52 U.S.P.Q.2d 1294 (Fed. Cir. 09/30/1999) "A reference may be said to teach away when a person of ordinary skill, upon reading the reference, would be discouraged from following the path set out in the reference, or would be led in a direction divergent from the path that was taken by the applicant . . . [or] if it suggests that the line of development flowing from the reference's disclosure is unlikely to be productive of the result sought by the applicant." In re Gurley, 27 F.3d 551, 553, 31 USPQ2d 1130, 1131 (Fed. Cir. 1994)."


In his conclusion for combining references, the Examiner states: "[F]urther Newsome, Jr. teaches that the addition of applicant's sulfamic acid derivatives **result in a stabilized composition.**²" Stated otherwise Newsome adds sulfamic acid derivatives *for the purpose of retarding or precluding [chemical] reaction* that results in the formation of insoluble particulate magnesium complexes. In contrast, applicant adds compounds comprising sulfamic moieties to the composition of the invention *for the purpose of providing a chemical reaction that renders a product comprising water solution stable macronutrients and/or micronutrients moieties*. Thus, by following the teachings of Newsome, one of ordinary skill in the art *would be led in a direction divergent from the path that was taken by the applicant*, pursuant to at least, *Gurley, supra*. It can therefore be said that Newsome *teaches away* from the instant invention. Thus, assuming,

² The Examiner's reliance on Newsome here, indicated that *Newsome is an essential and indispensable to his purported prima facie case of obviousness*.

arguendo, that the Examiner has made out a prima facie case of obviousness, it is accordingly rebutted for the forgoing reasons.

For any or all of the forgoing reasons, it is respectfully submitted that the claims as presently amended should be ALLOWED.

Respectfully submitted,


Walter H. Runkis